



Note 1: Suggested Maximum Torque: 2.5 in-lbs
While this value is provided from reliable sources, there are many variables that will effect this value and the use of this information is at the sole risk of the user.

TITLE: MS-IMU3020-Dimensional-Drawing-Imperial-Rev-D			
UNLESS OTHERWISE SPECIFIED:		NAME	DATE
DIMENSIONS ARE IN INCHES		DRAWN	JB 04/04/19
TOLERANCES		ENG APPR.	DL 04/04/19
ANGULAR: MACH ±0.1		MFG APPR.	EL 04/04/19
TWO PLACE DECIMAL ±0.010		DOC NO	
THREE PLACE DECIMAL ±0.003		REV	
FOUR PLACE DECIMAL ±0.0005		DOC00448	
INTERPRET GEOMETRIC TOLERANCING PER: ASME Y14.5-2009		C	
MATERIAL	6061-T6 AL	SIZE	PART NO
FINISH	MIL-A-8625 ANODIZE	A	MP00062
DO NOT SCALE DRAWING	SCALE: 2:1	WEIGHT:	SHEET 1 OF 1



PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MEMSENSE, LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MEMSENSE, LLC IS PROHIBITED.